

Notice of Allowability

Application No.

10/626,065

Examiner

Raquel Y. Gordon

Applicant(s)

ASCHOFF ET AL.

Art Unit

2853

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to response filed 11/12/2004.
2. ☒ The allowed claim(s) is/are 1-52.
3. ☒ The drawings filed on 24 July 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Raquel Y. Gordon
Primary Examiner
Art Unit: 2853

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: The primary reasons for allowances of claims 1-52 is because, upon reconsideration, the claimed combinations are not taught by the art of record.

For example, with respect to claims 1, 13, 18, and 23, Usui (US 6561633 B2) teaches the adhesive flows, under a capillary force, between a frame 100 of a recording head and a fixing substrate 107 of a vibrating element unit 110, not between a carrier and a fluid ejecting substrate as claimed. Further Usui's arrangement is used to adhere the vibrating element unit 110 within the frame, not to adhere the fluid ejecting substrate to the carrier, as claimed.

Further, with respect to claim 27, Usui indicates in column 14, online 48-50, that an adhesive penetrating in a gap Δg is stopped by surface tension at an end of the gap. This is different from the claims in that the claimed combination recites using viscosity to control the flow of the multi-component fluid.

Further, with respect to claim 47, upon reconsideration, the examiner agrees with the applicant Usui does not show or mention a plurality of channels disposed in a surface of the fluid-ejecting substrate between electrical contacts of a fluid-ejecting substrate and a plurality of orifices in the surface of the fluid ejecting substrate, as claimed.

Hence, the independent claims are deemed to be allowed. The dependent claims are allowed since they depend from allowed base claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information


Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Raquel Y. Gordon, whose telephone number is (571) 272-2145. The Examiner can normally be reached on M Tu Th and F 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the Examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. A fax number is available upon request.

Any inquiry of a general nature or relating to the status of this application or proceeding may be directed to the Examiner or Supervisor.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Raquel Y. Gordon
Primary Examiner
Art Unit 2853
February 6, 2005

**RAQUEL GORDON
PRIMARY EXAMINER**